



MASSACHUSETTS INSTITUTE OF TECHNOLOGY  
RADIATION LABORATORY SERIES

Board of Editors

LOUIS N. RIDENOUR, *Editor-in-Chief*

GEORGE B. COLLINS, *Deputy Editor-in-Chief*

BRITTON CHANCE, S. A. GOUDSMIT, R. G. HERB, HUBERT M. JAMES, JULIAN K. KNIPP,  
JAMES L. LAWSON, LEON B. LINFORD, CAROL G. MONTGOMERY, C. NEWTON, ALBERT  
M. STONE, LOUIS A. TURNER, GEORGE E. VALLEY, JR., HERBERT H. WHEATON

---

1. RADAR SYSTEM ENGINEERING—*Ridenour*
2. RADAR AIDS TO NAVIGATION—*Hall*
3. RADAR BEACONS—*Roberts*
4. LORAN—*Pierce, McKenzie, and Woodward*
5. PULSE GENERATORS—*Glasoe and Lebacyz*
6. MICROWAVE MAGNETRONS—*Collins*
7. KLYSTRONS AND MICROWAVE TRIODES—*Hamilton, Knipp, and Kuper*
8. PRINCIPLES OF MICROWAVE CIRCUITS—*Montgomery, Dicke, and Purcell*
9. MICROWAVE TRANSMISSION CIRCUITS—*Ragan*
10. WAVEGUIDE HANDBOOK—*Marcwitz*
11. TECHNIQUE OF MICROWAVE MEASUREMENTS—*Montgomery*
12. MICROWAVE ANTENNA THEORY AND DESIGN—*Silver*
13. PROPAGATION OF SHORT RADIO WAVES—*Kerr*
14. MICROWAVE DUPLEXERS—*Smullin and Montgomery*
15. CRYSTAL RECTIFIERS—*Torrey and Whitmer*
16. MICROWAVE MIXERS—*Pound*
17. COMPONENTS HANDBOOK—*Blackburn*
18. VACUUM TUBE AMPLIFIERS—*Valley and Wallman*
19. WAVEFORMS—*Chance, Hughes, MacNichol, Sayre, and Williams*
20. ELECTRONIC TIME MEASUREMENTS—*Chance, Hulsizer, MacNichol, and Williams*
21. ELECTRONIC INSTRUMENTS—*Greenwood, Holdam, and MacRae*
22. CATHODE RAY TUBE DISPLAYS—*Soller, Starr, and Valley*
23. MICROWAVE RECEIVERS—*Van Voorhis*
24. THRESHOLD SIGNALS—*Lawson and Uhlenbeck*
25. THEORY OF SERVOMECHANISMS—*James, Nichols, and Phillips*
26. RADAR SCANNERS AND RADOMES—*Cady, Karelitz, and Turner*
27. COMPUTING MECHANISMS AND LINKAGES—*Svoboda*
28. INDEX—*Henney*

# MICROWAVE TRANSMISSION CIRCUITS

*Edited by*

GEORGE L. RAGAN

GENERAL ELECTRIC RESEARCH LABORATORY

OFFICE OF SCIENTIFIC RESEARCH AND DEVELOPMENT  
NATIONAL DEFENSE RESEARCH COMMITTEE

FIRST EDITION  
THIRD IMPRESSION



NEW YORK · TORONTO · LONDON  
McGRAW-HILL BOOK COMPANY, INC.

1948

TR 6573

M41


MICROWAVE TRANSMISSION CIRCUITS

COPYRIGHT, 1948, BY THE  
MCGRAW-HILL BOOK COMPANY, INC.  
PRINTED IN THE UNITED STATES OF AMERICA

*All rights reserved. This book, or  
parts thereof, may not be reproduced  
in any form without permission of  
the publishers.*

**SCIENCE LIBRARY**

THE MAPLE PRESS COMPANY, YORK, PA.



*MICROWAVE TRANSMISSION CIRCUITS*

*EDITORIAL STAFF*

C. G. MONTGOMERY  
GEORGE L. RAGAN  
D. D. MONTGOMERY  
MARY E. PALMER

*CONTRIBUTING AUTHORS*

F. EDWARD EHLERS  
ROBERT M. FANO  
A. W. LAWSON  
F. L. NIEMANN  
GEORGE L. RAGAN  
RICHARD M. WALKER  
F. T. WORRELL

# Contents

---

|  |     |
|--|-----|
| PREFACE . . . . .  | ix  |
| CHAP. 1. INTRODUCTION . . . . .  | 1   |
| CHAP. 2. ELEMENTARY LINE THEORY. . . . .   | 9   |
| CONVENTIONAL TRANSMISSION-LINE THEORY. . . . .                                   | 9   |
| 2-1. The Telegraphers' Equation. . . . .   | 9   |
| 2-2. Interpretation of the Solution . . . . .                                    | 11  |
| 2-3. Impedance Relations, Reflection Coefficients, and Standing Waves . . . . .  | 13  |
| 2-4. Propagation Factor and Characteristic Impedance . . . . .                   | 19  |
| 2-5. Application to Coaxial Line Characteristics . . . . .                       | 23  |
| 2-6. Some Useful Relations in Transmission Lines . . . . .                       | 29  |
| TRANSMISSION LINES AS GUIDES FOR ELECTROMAGNETIC WAVES. . . . .                  | 36  |
| 2-7. The Guided-wave Concept . . . . .   | 36  |
| 2-8. Transmission Characteristics of a Simple Parallel-plate Waveguide . . . . . | 40  |
| 2-9. Rectangular Waveguide, $TE_{10}$ -mode . . . . .                            | 46  |
| 2-10. Characteristics of some Common Waveguides . . . . .                        | 54  |
| TRANSMISSION-LINE CHARTS AND IMPEDANCE-MATCHING. . . . .                         | 59  |
| 2-11. Reflection-coefficient Chart with Impedance Contours, Smith Chart. . . . . | 60  |
| 2-12. Other Types of Transmission-line Charts . . . . .                          | 67  |
| 2-13. The Choice of a Transmission-line Chart . . . . .                          | 75  |
| IMPEDANCE-MATCHING AND DESIGN PROCEDURE . . . . .                                | 82  |
| 2-14. The Design of Matched Circuit Elements. . . . .                            | 82  |
| 2-15. Impedance-matching Transformers. . . . .                                   | 90  |
| 2-16. Other Design Factors. . . . .  | 95  |
| 2-17. Series Branches and Choke or Capacity Coupling . . . . .                   | 100 |
| CHAP. 3. MATERIALS AND CONSTRUCTION TECHNIQUES. . . . .                          | 115 |
| METALLIC MATERIALS. . . . .  | 115 |
| 3-1. Tubing for Coaxial Lines and Waveguides. . . . .                            | 115 |
| 3-2. Dimensional Tolerances. . . . .   | 117 |

## CONTENTS

|   |            |
|---|------------|
| 3-3. Miscellaneous Metallic Parts . . . . .                 | 119        |
| 3-4. Construction Techniques . . . . .                      | 121        |
| <b>FINISHES AND ELECTROPLATING . . . . .</b>                | <b>124</b> |
| 3-5. Nonmetallic Finishes. . . . .                          | 124        |
| 3-6. Electroplating. . . . .                                | 125        |
| 3-7. Corrosion Tests and Measurements. . . . .              | 130        |
| <b>DIELECTRIC MATERIALS. . . . .</b>                        | <b>132</b> |
| 3-8. Uses and General Requirements . . . . .                | 132        |
| 3-9. Characteristics of Dielectric Materials . . . . .      | 133        |
| 3-10. Construction of Dielectric Parts . . . . .            | 137        |
| <b>PRESSURIZATION PROBLEMS. . . . .</b>                     | <b>139</b> |
| 3-11. Sealing of Transmission Lines and Couplings . . . . . | 140        |
| 3-12. Rotary-joint Pressure Seals . . . . .                 | 141        |
| <b>CHAP. 4. RIGID TRANSMISSION LINES . . . . .</b>          | <b>144</b> |
| <b>COAXIAL LINES. . . . .</b>                               | <b>144</b> |
| 4-1. Factors Governing Choice of Dimensions . . . . .       | 144        |
| 4-2. Couplings for Coaxial Lines. . . . .                   | 150        |
| 4-3. Bead Supports. . . . .                                 | 155        |
| 4-4. Stub Supports and Angles. . . . .                      | 170        |
| 4-5. Coaxial Impedance Transformers. . . . .                | 182        |
| 4-6. Coaxial-line Discontinuities . . . . .                 | 184        |
| <b>WAVEGUIDES. . . . .</b>                                  | <b>188</b> |
| 4-7. Factors Governing Choice of Dimensions . . . . .       | 188        |
| <b>Waveguide Couplings . . . . .</b>                        | <b>193</b> |
| 4-8. Contact Couplings. . . . .                             | 193        |
| 4-9. Circular-groove Choke-flange Couplings. . . . .        | 193        |
| 4-10. Other Choke Couplings. . . . .                        | 200        |
| 4-11. Summary of Choke-coupling Designs. . . . .            | 202        |
| <b>Corners, Circular Bends, and Twists. . . . .</b>         | <b>203</b> |
| 4-12. Waveguide Corners. . . . .                            | 203        |
| 4-13. Waveguide Bends and Twists . . . . .                  | 207        |
| <b>Impedance-matching . . . . .</b>                         | <b>209</b> |
| 4-14. Inductive Matching Diaphragms . . . . .               | 211        |
| 4-15. Capacitive Matching Diaphragms . . . . .              | 214        |
| 4-16. Capacitive Buttons and Dents. . . . .                 | 215        |
| 4-17. Quarter-wavelength Transformer. . . . .               | 217        |
| <b>Pressurizing Windows . . . . .</b>                       | <b>218</b> |

## CONTENTS

|  |     |
|--|-----|
| 4-18. Thin Sheets, Nonresonant. . . . .                          | 218 |
| 4-19. Thin Sheets in Resonant Mount. . . . .                     | 220 |
| 4-20. Half-wavelength Dielectric Plugs. . . . .                  | 222 |
| 4-21. T-shaped Plugs Three-quarters Wavelength Long . . . . .    | 223 |
| 4-22. Summary of Pressurizing-window Designs. . . . .            | 226 |
| Voltage Breakdown at Microwave Frequencies . . . . .             | 227 |
| 4-23. Apparatus and Methods . . . . .                            | 227 |
| 4-24. Preliminary Considerations . . . . .                       | 231 |
| 4-25. Effect of Duration and Repetition Rate of Pulses . . . . . | 235 |
| 4-26. Effect of Pressure, Gap, and Wavelength . . . . .          | 237 |
| 4-27. Summary and Discussion of Breakdown Results. . . . .       | 240 |
| CHAP. 5. FLEXIBLE COUPLING UNITS AND LINES. . . . .              | 243 |
| FLEXIBLE COAXIAL CABLES . . . . .                                | 243 |
| 5-1. Attenuation in Flexible Cables. . . . .                     | 245 |
| 5-2. Jacketing Materials . . . . .                               | 247 |
| 5-3. Cables for Low-power Levels . . . . .                       | 248 |
| 5-4. High-power Cables. . . . .                                  | 252 |
| 5-5. Resonances in Coaxial Cables . . . . .                      | 253 |
| 5-6. Flexibility and Durability of Coaxial Cables. . . . .       | 254 |
| 5-7. Connectors for Cables for Low Power. . . . .                | 256 |
| 5-8. HN Connectors . . . . .                                     | 260 |
| 5-9. High-power Connectors to Rigid Lines . . . . .              | 260 |
| 5-10. Polyglas Connectors . . . . .                              | 267 |
| 5-11. Summary. . . . .   | 268 |
| WAVEGUIDE UNITS . . . . .  | 273 |
| Nonresonant Flexible Waveguide . . . . .                         | 274 |
| 5-12. Wound Metal Hose . . . . .                                 | 274 |
| 5-13. Wound Metal Hose, Rubber-covered. . . . .                  | 277 |
| 5-14. Titeflex. . . . .  | 279 |
| 5-15. Titeflex, Rubber-covered . . . . .                         | 281 |
| 5-16. Seamless Corrugated Waveguide. . . . .                     | 282 |
| 5-17. Plastic and Plastic-filled Waveguides. . . . .             | 285 |
| 5-18. Wire-screen Flexible Waveguides . . . . .                  | 287 |
| Resonant Flexible Waveguide and Coupling Units. . . . .          | 288 |
| 5-19. Flexible Bellows . . . . .                                 | 288 |
| 5-20. Open Choke-flange Junctions . . . . .                      | 291 |
| 5-21. Vertebrae. . . . .   | 294 |
| 5-22. Summary. . . . .   | 303 |
| CHAP. 6. TRANSITION UNITS . . . . .                              | 305 |
| TRANSITIONS FROM ONE COAXIAL LINE TO ANOTHER. . . . .            | 305 |
| 6-1. Tapers in Coaxial Lines. . . . .                            | 305 |
| 6-2. Transformer Sections between Coaxial Lines. . . . .         | 311 |

## CONTENTS

|   |     |
|---|-----|
| TRANSITIONS FROM COAXIAL LINE TO WAVEGUIDE. . . . .   | 314 |
| 6-3. The Transition Problem . . . . .   | 314 |
| 6-4. Matching Techniques . . . . .  | 317 |
| 6-5. Narrowband Matching . . . . .  | 318 |
| 6-6. Broadband Matching with Waveguide Irises. . . . .  | 322 |
| 6-7. Broadband Matching with Coaxial Stubs . . . . .  | 332 |
| 6-8. Tuning Adjustments . . . . .   | 336 |
| 6-9. Examples of Transition Construction. . . . .   | 338 |
| 6-10. Crossed Transitions from Coaxial Line to Waveguide. . . . .   | 339 |
| 6-11. Probe Transitions . . . . .   | 341 |
| 6-12. Crossbar Transitions. . . . .   | 346 |
| 6-13. "Doorknob" Transitions . . . . .  | 349 |
| 6-14. Magnetic and Resonant-slot Couplings . . . . .  | 354 |
| 6-15. Applications and Special Transitions . . . . .  | 355 |
| LOWEST MODE IN THE WAVEGUIDE TRANSITIONS. . . . .   | 361 |
| 6-16. The Transition between Rectangular Waveguides of Different<br>Sizes. . . . .  | 361 |
| 6-17. Transition from Rectangular to Cylindrical Waveguide. . . . .   | 364 |
| 6-18. Circular Polarization of the $TE_{11}$ -mode. . . . .   | 369 |
| 6-19. Circular Polarization in Square Waveguide . . . . .   | 378 |
| TRANSITIONS INVOLVING A CHANGE IN WAVEGUIDE MODE . . . . .  | 379 |
| 6-20. Transitions to the $TM_{01}$ -mode. . . . .   | 379 |
| 6-21. Determining Percentage of $TE_{11}$ -mode in Cylindrical Waveguide . . . . .  | 381 |
| 6-22. $TE_{11}$ -mode Filters . . . . .   | 388 |
| 6-23. Straight-on $TM_{01}$ -mode Transitions . . . . .   | 400 |
| 6-24. High-power Capacity. . . . .  | 403 |
| 6-25. Summary. . . . .  | 404 |
| CHAP. 7. MOTIONAL JOINTS. . . . .   | 406 |
| MOTIONAL JOINTS IN COAXIAL LINE . . . . .   | 407 |
| 7-1. General Design Considerations for Coaxial Rotary Joints . . . . .  | 407 |
| 7-2. Examples of Rotary Joint Construction. . . . .   | 409 |
| 7-3. Other Coaxial Motional Joints. . . . .   | 413 |
| WAVEGUIDE ROTARY JOINTS. . . . .  | 416 |
| 7-4. Resonances in Rotary Joints. . . . .   | 416 |
| 7-5. Rotary Joints Using Transitions with the Compound $TE$ - $TM$ -<br>stub . . . . .  | 420 |
| 7-6. Resonances in the High-power Rotary Joint. . . . .   | 422 |
| 7-7. Resonances in the $TE_{11}$ -mode for the Filter-ring Type of Rotary<br>Joint. . . . .   | 423 |
| 7-8. Rotary Joint Using $TE_{11}$ -mode Filter-ring Type of Transitions<br>with $TE_{11}$ -absorbers . . . . .                      | 425 |
| 7-9. Rotary Joints for 1.25-cm Wavelength . . . . .   | 427 |
| 7-10. Analysis of the Resonances in Rotary Joints Composed of Transi-<br>tions with Diametric Fins in the Round Waveguide . . . . . | 427 |

## CONTENTS

|   |     |
|---|-----|
| 7-11. Rotary Joint Using Circular Polarization . . . . .                          | 428 |
| 7-12. Resonance in a Circular-polarization Rotary Joint . . . . .                 | 429 |
| 7-13. Rotary Joints Using a $TE_{11}$ -mode Polarization Rotator. . . . .         | 430 |
| MISCELLANEOUS WAVEGUIDE MOTIONAL JOINTS . . . . .                                 | 433 |
| 7-14. Swivel Joints . . . . .   | 433 |
| 7-15. Hinge Joints. . . . .   | 438 |
| 7-16. Universal Joints. . . . .   | 442 |
| MOTIONAL JOINTS COMBINING COAXIAL LINE AND WAVEGUIDE . . . . .                    | 446 |
| 7-17. General Considerations. . . . .   | 446 |
| 7-18. Rotary Joints with Cross-transition from Coaxial Line to Waveguide. . . . . | 446 |
| 7-19. Rotary Joints with Probe Transitions. . . . .                               | 447 |
| 7-20. Rotary Joints with Combinations of Transitions. . . . .                     | 448 |
| 7-21. High-power Rotary Joints with Doorknob Transitions . . . . .                | 451 |
| CHAP. 8. TUNERS, POWER DIVIDERS, AND SWITCHES. . . . .                            | 456 |
| TUNERS (VARIABLE IMPEDANCE TRANSFORMERS) . . . . .                                | 456 |
| <i>Applications and General Principles</i> . . . . .                              | 456 |
| 8-1. Applications. . . . .  | 456 |
| 8-2. General Principles; Use of Impedance Charts . . . . .                        | 457 |
| <i>Coaxial Line Tuners.</i> . . . . .   | 460 |
| 8-3. Short-circuiting Plungers . . . . .  | 460 |
| 8-4. The Sliding Series Stub Tuner. . . . .                                       | 464 |
| 8-5. Slug Tuners. . . . .   | 466 |
| 8-6. Stub Tuners. . . . .   | 472 |
| 8-7. Phase Shifter . . . . .  | 478 |
| <i>Waveguide Tuners.</i> . . . . .  | 481 |
| 8-8. Short-circuiting Plungers . . . . .  | 481 |
| 8-9. Waveguide Stub Tuners . . . . .  | 483 |
| 8-10. Variable-position, Single-screw Tuner. . . . .                              | 485 |
| 8-11. Single-slug Tuner . . . . .   | 489 |
| 8-12. Waveguide Double-slug Tuners . . . . .                                      | 494 |
| 8-13. Fixed-position, Capacitive-screw Tuners . . . . .                           | 498 |
| 8-14. General-susceptance Screws. . . . .   | 499 |
| 8-15. A Waveguide Double-screw Tuner. . . . .                                     | 507 |
| 8-16. Phase Shifters. . . . .   | 513 |
| POWER DIVIDERS. . . . .   | 516 |
| <i>Coaxial Power Dividers</i> . . . . .   | 516 |
| 8-17. Fixed Coaxial Power Dividers. . . . .                                       | 516 |
| 8-18. Variable Power Divider. . . . .   | 519 |

## CONTENTS

|  |     |
|--|-----|
| <i>Waveguide Power Dividers</i> . . . . .  | 522 |
| 8-19. Fixed Power Divider. . . . .   | 522 |
| 8-20. Variable Power Dividers . . . . .  | 525 |
| SWITCHES . . . . .   | 528 |
| 8-21. Coaxial-line Switches. . . . .   | 528 |
| 8-22. Waveguide Switches . . . . .   | 533 |
| CHAP. 9. THE THEORY OF MICROWAVE FILTERS . . . . .   | 540 |
| MATHEMATICAL REPRESENTATION OF TWO-TERMINAL-PAIR NETWORKS . . . . .                                  | 541 |
| 9-1. Parameters Specifying Two-terminal-pair Networks . . . . .                                      | 541 |
| 9-2. The Use of Matrices in Circuit Analysis. . . . .  | 544 |
| 9-3. Determination of Input Impedance and Insertion Loss. . . . .                                    | 547 |
| 9-4. Wave Matrices and Accumulative Mismatches. . . . .  | 551 |
| IMAGE PARAMETERS. . . . .  | 554 |
| 9-5. Image Impedance and Propagation Functions. . . . .  | 554 |
| 9-6. Behavior of Image Parameters of Reactive Networks. . . . .                                      | 557 |
| NORMALIZATION OF FILTER DESIGNS . . . . .  | 560 |
| 9-7. Impedance Normalization. . . . .  | 561 |
| 9-8. Pass-band Normalization . . . . .   | 562 |
| REACTIVE NETWORKS WITH SPECIFIED IMAGE PARAMETERS . . . . .  | 566 |
| 9-9. Designs Based on Lattice Structures . . . . .   | 566 |
| 9-10. Constant- $k$ Filters . . . . .  | 569 |
| 9-11. $m$ -derived Filters. . . . .  | 572 |
| 9-12. Limitations on the Use of Image Parameters. . . . .  | 576 |
| REACTIVE NETWORKS WITH SPECIFIED INSERTION LOSS. . . . .   | 580 |
| 9-13. Physical Realizability of Insertion-loss Functions. . . . .                                    | 580 |
| 9-14. Determination of Input Impedance from a Prescribed Insertion<br>Loss . . . . .                 | 583 |
| 9-15. Specification of a Network with a Prescribed Input Impedance. . . . .                          | 586 |
| 9-16. Summary of the Method of Designing Reactive Networks with<br>Specified Insertion Loss. . . . . | 589 |
| SELECTION OF POWER-LOSS RATIOS. . . . .  | 589 |
| 9-17. Selection of Polynomials $P(\omega^2)$ and $Q^2(\omega)$ . . . . .                             | 589 |
| 9-18. Tchebysheff Pass-band Behavior. . . . .  | 590 |
| 9-19. Tchebysheff Behavior in the Attenuation Band . . . . .   | 593 |
| PHYSICAL REALIZATION OF SPECIFIED REACTIVE NETWORKS. . . . .   | 597 |
| 9-20. Properties of Ladder Networks. . . . .   | 597 |
| 9-21. Determination of Ladder Elements. . . . .  | 598 |

# CONTENTS

|  |     |
|--|-----|
| EFFECT OF INCIDENTAL DISSIPATION ON FILTER CHARACTERISTICS . . . . .                 | 601 |
| 9-22. Analysis of Uniformly Dissipative Networks . . . . .                           | 601 |
| 9-23. Effect of Dissipation on Pass-band Characteristics . . . . .                   | 603 |
| 9-24. Effect of Dissipation on Rejection-band Characteristics . . . . .              | 604 |
| 9-25. Correction for Uniform Dissipation . . . . .                                   | 607 |
| EFFECT OF MISMATCHED TERMINATIONS ON FILTER CHARACTERISTICS . . . . .                | 609 |
| 9-26. Superposition of Mismatches . . . . .  | 609 |
| 9-27. Accumulative Effect of Mismatches . . . . .                                    | 611 |
| CHAP. 10. THE DESIGN OF MICROWAVE FILTERS . . . . .                                  | 613 |
| FILTERS EMPLOYING TRANSMISSION LINES . . . . .                                       | 614 |
| 10-1. The Frequency Behavior of Lines . . . . .                                      | 614 |
| 10-2. Practical Limitations on the Use of Lines . . . . .                            | 623 |
| 10-3. Filters Employing Lines as Two-terminal Elements . . . . .                     | 625 |
| 10-4. Filters Employing Lines as Four-terminal Elements . . . . .                    | 634 |
| 10-5. Waveguide Filters . . . . .  | 643 |
| FILTERS EMPLOYING DIRECT-COUPLED CAVITY RESONATORS . . . . .                         | 645 |
| 10-6. Cavity Resonators as Circuit Elements . . . . .                                | 646 |
| 10-7. Design of Cavity Resonators . . . . .  | 653 |
| 10-8. Theory of Direct-coupled Cavities . . . . .                                    | 661 |
| 10-9. Filters Employing Direct-coupled Cavities . . . . .                            | 666 |
| 10-10. Cavities Excited in More Than One Mode . . . . .                              | 673 |
| FILTERS EMPLOYING QUARTER-WAVELENGTH COUPLINGS . . . . .                             | 677 |
| 10-11. Theory of Quarter-wavelength Coupling . . . . .                               | 677 |
| 10-12. Filters Employing $\lambda_g/4$ -coupled Cavities . . . . .                   | 683 |
| 10-13. Filters Employing Quarter-wavelength-coupled Resonant Irises . . . . .        | 688 |
| 10-14. Refined Theory of Quarter-wavelength Coupling . . . . .                       | 690 |
| 10-15. Quarter-wavelength-coupled Filters with Tchebysheff Characteristics . . . . . | 696 |
| MISCELLANEOUS FILTERS . . . . .  | 706 |
| 10-16. Lattice Networks . . . . .  | 706 |
| 10-17. Mode Filters . . . . .  | 707 |
| 10-18. Absorption Filters . . . . .  | 707 |
| 10-19. Multiplexers . . . . .  | 708 |
| ASSEMBLY AND TEST PROCEDURES . . . . .   | 709 |
| 10-20. Broadband Filters . . . . .   | 709 |
| 10-21. Narrow-band Filters . . . . .   | 710 |
| 10-22. Quarter-wavelength-coupled Filters . . . . .                                  | 714 |
| INDEX . . . . .  | 717 |